
## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application.

## Listing of the Claims:

- 1-25. (Cancelled)
- 26. (Currently amended): A cleaning solution comprising, based on the total weight of the solution:
  - more than 50% by weight of at least one lactone (component A); and
  - 1 to 10% by weight of at least one surfactant compound (component B) having a HLB ranging from 8 to 15 and selected from the group consisting of compounds of formula:



wherein:

R<sub>1</sub> denotes a hydrocarbon group comprising from 1 to 20 carbon atoms;

n" is an integer from 1 to 5.

X denotes a valence link, -O-, -OCH<sub>2</sub>, C=O or (CH<sub>2</sub>)<sub>k</sub>, k being an integer varying from 1 to 2;

Y denotes (RO), H wherein j is an integer ranging from 2 to 40, and

R is a divalent hydrocarbon group,

and compounds of formula:

 $CH_3(CH_2)$  O  $(CH_2CH_2O)$  H (II), wherein 1 is an integer from 6 to 13 and m is an integer from 3 to 15; and

- at least another component selected from:
  - a component C of formula:

wherein:

n denotes an integer from 0 to 5, and

R' is an alkyl group or an alkoxy group  $-[O-Z]_n$ -H in which Z is a

divalent alkyl group and n' is an integer from 0 to 10, and

 a component D, being at least one additional compound having the formula:

 $\underline{R_2}$  and  $\underline{R_3}$ , being identical or different, are alkyl groups having from 1 to

## $\frac{4 \text{ carbon atoms, and}}{R_4 \text{ is H or an alkyl group having from 1 to 4 carbon atoms.}}$

- (Currently amended): [[t]]The cleaning solution of claim 26, further defined as
  comprising, based on the total weight of the solution, at least 60% by weight of the at
  least one lactone.
- 28. (Currently amended): The cleaning solution of claim 27, further defined as comprising, based on the total weight of the solution, at least 70% by weight of the at least one lactone.

65222435.1

Appl. No. 10/599,946 Response to Final Office Action

Mailed November 19, 2008

 (Currently amended): The cleaning solution of claim 28, further defined as comprising, based on the total weight of the solution, at least 80% by weight of the at least one lactone.

- (Cancelled)
- (Currently amended): The cleaning solution of claim [[30]]26, wherein n is 0 or 1.
- (Currently amended): The cleaning solution of claim [[30]]26, wherein R' is an alkyl group having from 1 to 5 carbon atoms.
- 33. (Currently amended): The cleaning solution of claim [[30]]26, further defined as comprising, based on the total weight of the solution, from 0.1 to 20% by weight of [[C]]component C.
- (Currently amended): The cleaning solution of claim [[30]]26, further defined as
  comprising, based on the total weight of the solution, from 2 to 10% by weight of at-least
  one-benzyl-aleohol of component C.
- (Cancelled)
- (Currently amended): The cleaning solution of claim [[30]]26, wherein component C is benzyl alcohol.
- (Previously presented): The cleaning solution of claim 26, wherein the hydrocarbon group R<sub>1</sub> comprises from 5 to 15 carbon atoms.
- (Previously presented): The cleaning solution of claim 26, wherein the hydrocarbon group R<sub>1</sub> comprises from 7 to 15 carbon atoms.
- 39. (Previously presented): The cleaning solution of claim 26, wherein n" equals 1.
- (Previously presented): The cleaning solution of claim 26, wherein j is an integer from 2 to 20.
- (Previously presented): The cleaning solution of claim 26, wherein j is an integer from 4 to 15.

- 4 -

65222435.1

- (Previously presented): The cleaning solution of claim 26, wherein j is an integer from 6 to 12.
- (Previously presented): The cleaning solution of claim 26, wherein the divalent hydrocarbon group R has 2 carbon atoms.
- (Previously presented): The cleaning solution of claim 26, wherein the at least one surfactant (component B) has the formula:

$$R'_1$$
 O —  $(CH_2CH_2O)_{j'}H$   $(I')$ 

wherein R'<sub>1</sub> is a C<sub>5</sub>-C<sub>10</sub> alkyl moiety and j' is an integer from 5 to 10.

45. (Previously presented): The cleaning solution of claim 44, wherein the at least one surfactant comprises:

$$C_9H_{19}$$
 O—(CH<sub>2</sub>CH<sub>2</sub>O)<sub>6</sub>H (NP6)

$$C_9H_{19}$$
  $O$   $(CH_2CH_2O)_9H$   $(NP9)$ 

or a mixture thereof.

- (Currently amended): The cleaning solution of claim 26, wherein the lactone is a 4 to 6-membered cyclic ester[[s]] having an ester functional group -C(O)-O- in its ring or a derivative thereof.
- 47. (Currently amended): The cleaning solution of claim 46, wherein the at least one lactone is further defined as α-angelicalactone, β-propiolactone, γ-butyrolactone, γ-caprylolactone, γ-laurolactone, γ-palmitolactone, γ-stearolactone, γ-crotolactone, γ-valerolactone, δ-caprolactone, δ-caprolactone, δ-valerolactone.

## 48. (Cancelled)

- (Previously presented): The cleaning solution of claim [[48]]26, wherein the additional compound comprises up to 10% by weight of the cleaning solution.
- (Currently amended): The cleaning solution of claim [[48]]26, wherein the additional compound comprises up to 8% by weight of the cleaning solution by weight.
- 51. (Cancelled)
- (Previously presented): The cleaning solution of claim 26, further defined as having a pH from 4 to 7.
- (Currently amended): A process for cleaning an item soiled by organic materials, comprising dipping the soiled item into the cleaning solution of claim 26.
- 54. (Previously presented): The cleaning process of claim 53, wherein the cleaning solution is at a temperature ranging from 40 to 80°C at the time of dipping.
- (Previously presented): The cleaning process of claim 53, wherein the dipping time is 5
  minutes or less.
- 56. (Previously presented): The cleaning process of claim 53, further comprising, after the dipping step of the soiled item into the cleaning solution, dipping the item into a basic aqueous solution comprising from 1 to 10% by weight of potassium hydroxide based on the total weight of the aqueous solution.
- (Previously presented): The cleaning process of claim 53, wherein the item is soiled by a thermosetting material.
- (Previously presented): The cleaning process of claim 53, wherein the item is made of mineral glass.
- (Previously presented): The cleaning process of claim 53, wherein the item is a mold for optical lenses.
- (Currently amended): The cleaning process of claim 53, wherein the optical lens-is-an item is a mold for ophthalmic lenses.

- 61 (Previously presented): The cleaning process of claim 53, wherein the item has a progressive geometry surface.
- 62. (Cancelled)

65222435.1